



1140 Florida-Georgia Highway
Highway 27 North, Havana, FL 32333
(850) 562-2777
winteranimalhospital.com

Client Consent for Veterinary Peptide Therapy

Complete one form per peptide prescribed. A signed copy is retained in the patient record and a copy is provided to the owner.

PATIENT

Baxter Whitfield

Canine, Labrador Retriever, neutered male, 7 yr · 96.4 lb · BCS 8/9

PRESCRIBED PEPTIDE

Retatrutide 10mg

GLP-1 / GIP / glucagon receptor agonist · Lot VPS1011240111

OWNER

Karen M. Whitfield

Client ID 10442 · (850) 421-3389

DOSE / ROUTE / FREQUENCY

0.15 mg SC once weekly

Titrate to 0.30 mg weekly after 4 wk if tolerated · Date: August 5, 2026

Diagnosis and rationale

Obesity with early hind-limb osteoarthritis. Weight reduction is the primary goal to reduce joint loading and improve mobility. Diet restriction and a structured exercise plan over the past eight months produced a 2.1 lb loss. Retatrutide is prescribed off-label as an adjunct to a continued weight-management plan, not as a replacement for it.

Monitoring and stop rule

Weight and BCS at 2, 4, 8, and 12 weeks. Chemistry panel including pancreatic lipase at 4 and 12 weeks. Target loss of 1 to 2 percent of body weight per week. Therapy is discontinued for persistent vomiting or diarrhea, appetite loss beyond week 2, lethargy, suspected pancreatitis, or no measurable response by week 8.

Owner acknowledgements

- ☒ I understand that this therapy is being provided under a veterinarian-client-patient relationship and may be used off-label.
- ☒ I understand the expected benefits, risks, and alternatives have been discussed, and no guarantee of outcome has been made.
- ☒ I agree to give the medication exactly as directed and to report any adverse effects promptly.
- ☒ I understand the medication is intended only for the named animal and will not be shared.

COUNSELING PROVIDED

Injection technique demonstrated in-clinic. Owner given written handling and storage instructions, the VPS Retatrutide education sheet, and a sharps container. Gradual reduction in appetite and occasional soft stool discussed as expected effects in the first two weeks. Owner instructed to call the clinic before adjusting the dose.

Karen M. Whitfield

Owner signature

08 / 05 / 2026

Greg Winter, DVM

Veterinarian signature

08 / 05 / 2026